ELSEVIER

Molecular Brain Research 71 (1999) 370–372

MOLECULAR BRAIN RESEARCH

Author Index

Aliaga, E., Rage, F., Tapia-Arancibia, L. and Bustos, G.
Negative regulation of brain-derived neurotrophic factor mRNA expression by kainic acid in substantia nigra (71) 341
Amara, F.M., Junaid, A., Clough, R.R. and Liang, B.
TGF-β_1, regulation of Alzheimer amyloid precursor protein mRNA expression in a normal human astrocyte cell line: mRNA stabilization (71) 42
Armstrong, J.N., see Krueger, A.M.R. (71) 265

Barakat, M.J., see Keir, M.J. (71) 279
Barone, F.C., see Wang, X. (71) 304
Barun, S., see Lin, F.-h. (71) 1
Benes, F.M., see Stone, D.J. (71) 201
Berchtold, N.C., Oliff, H.S., Isackson, P. and Cotman, C.W.
Hippocampal BDNF mRNA shows a diurnal regulation, primarily in the exon III transcript (71) 11
Bernal, J., see Cuadrado, A. (71) 332
Bettler, B., see Keir, M.J. (71) 279
Bijur, G.N., Davis, R.E. and Jope, R.S.
Rapid activation of heat shock factor-1 DNA binding by H_2O_2 and modulation by glutathione in human neuroblastoma and Alzheimer's disease cybrid cells (71) 69
Bittiger, H., see Keir, M.J. (71) 279
Borowsky, B., see Durkin, M.M. (71) 185
Bossenmeyer-Pourié, C., Koziel, V. and Daval, J.-L.
CPP32/CASPASE-3-like proteases in hypoxia-induced apoptosis in developing brain neurons (71) 225
Branchek, T.A., see Durkin, M.M. (71) 185
Brentani, R.R., see Roesler, R. (71) 349
Broide, R.S., Grifman, M., Loewenstein, A., Grisaru, D., Timberg, R., Stone, J., Shani, M., Patrick, J.W. and Soreq, H.
Manipulations of *ACHE* gene expression suggest non-catalytic involvement of acetylcholinesterase in the functioning of mammalian photoreceptors but not in retinal degeneration (71) 137
Bustos, G., see Aliaga, E. (71) 341

Cai, F., Campana, W.M., Tomlinson, D.R. and Fernyhough, P.
Transforming growth factor-β1 and glial growth factor 2 reduce neurotrophin-3 mRNA expression in cultured Schwann cells via a cAMP-dependent pathway (71) 256
Campana, W.M., see Cai, F. (71) 256
Cheng, R., see Lee, D.K. (71) 96
Chocyk, A., see Maćkowiak, M. (71) 358
Clough, R.R., see Amara, F.M. (71) 42
Cotman, C.W., see Berchtold, N.C. (71) 11
Cuadrado, A., Bernal, J. and Muñoz, A.
Identification of the mammalian homolog of the splicing regulator *Suppressor-of-white-apricot* as a thyroid hormone regulated gene (71) 332
Currie, R.W., see Krueger, A.M.R. (71) 265
Czyrak, A., see Maćkowiak, M. (71) 358

Daval, J.-L., see Bossenmeyer-Pourié, C. (71) 225
Davis, R.E., see Bijur, G.N. (71) 69
De-Paris, F., see Roesler, R. (71) 349
Deng, J. and Szyf, M.
Downregulation of DNA (cytosine-5-)methyltransferase is a late event in NGF-induced PC12 cell differentiation (71) 23
Dev, K.K., see Keir, M.J. (71) 279
Diener, C., see Malherbe, P. (71) 159
Donnelly, R.J., see Yao, R. (71) 149
Duncan, M.J. and Wheeler, D.L.
Aging and photoperiod regulate glutamic acid decarboxylase$_{67}$ messenger RNA expression (71) 325
Durkin, M.M., Gunwaldsen, C.A., Borowsky, B., Jones, K.A. and Branchek, T.A.
An in situ hybridization study of the distribution of the $GABA_{B2}$ protein mRNA in the rat CNS (71) 185

Emson, P.C., see Hervieu, G. (71) 290
Erdtmann-Vourliotis, M., Mayer, P., Riechert, U. and Höllt, V.
Acute injection of drugs with low addictive potential (Δ^9-tetrahydrocannabinol, 3,4-methylenedioxymethamphetamine, lysergic acid diamide) causes a much higher c-fos expression in limbic brain areas than highly addicting drugs (cocaine and morphine) (71) 313

Fernyhough, P., see Cai, F. (71) 256
Feuerstein, G.Z., see Wang, X. (71) 304
Fijał, K., see Maćkowiak, M. (71) 358

Gaillard, H., see Malherbe, P. (71) 159
Garidou, M.-L., see Gauer, F. (71) 87
Gauer, F., Poirel, V.-J., Garidou, M.-L., Simonneaux, V. and Pévet, P.
Molecular cloning of the arylalkylamine-*N*-acetyltransferase and daily variations of its mRNA expression in the Syrian hamster pineal gland (71) 87
Ge, Y.-W., see Lahiri, D.K. (71) 32
George, S.R., see Lee, D.K. (71) 96
Gerets, H.H.J., see Peeters, K. (71) 244
Gierdalski, M., Jablonska, B., Smith, A., Skangiel-Kramska, J. and Kossut, M.
Deafferentation induced changes in GAD67 and GluR2 mRNA expression in mouse somatosensory cortex (71) 111
Gillardon, F., see Peißner, W. (71) 61
Gonçalves, P.P., Meireles, S.M., Neves, P. and Vale, M.G.P.
Synaptic vesicle Ca^{2+}/H^+ antiport: dependence on the proton electrochemical gradient (71) 178
Graner, E., see Roesler, R. (71) 349
Grifman, M., see Broide, R.S. (71) 137
Grisaru, D., see Broide, R.S. (71) 137
Gunwaldsen, C.A., see Durkin, M.M. (71) 185

He, X.P., see Yamanaka, H. (71) 217
Henley, J.M., see Keir, M.J. (71) 279
Hervieu, G. and Emson, P.C.
Visualisation of somatostatin receptor sst_3 in the rat central nervous system (71) 290
Höllt, V., see Erdtmann-Vourliotis, M. (71) 313
Hosford, D.A., see Lin, F.-H. (71) 127
Hosford, D.A., see Lin, F.-h. (71) 131
Hosford, D.A., see Lin, F.-h. (71) 1
Huber, G., see Malherbe, P. (71) 159

Isackson, P., see Berchtold, N.C. (71) 11
Itokawa, K., Sora, I., Schindler, C.W., Itokawa, M., Takahashi, N. and Uhl, G.R.
Heterozygous VMAT2 knockout mice display prolonged QT intervals: possible contributions to sudden death (71) 354
Itokawa, M., see Itokawa, K. (71) 354
Izquierdo, I., see Roesler, R. (71) 349

Jablonska, B., see Gierdalski, M. (71) 111
Jones, K.A., see Durkin, M.M. (71) 185
Jope, R.S., see Bijur, G.N. (71) 69
Junaid, A., see Amara, F.M. (71) 42

Keir, M.J., Barakat, M.J., Dev, K.K., Bittiger, H., Bettler, B. and Henley, J.M.

Characterisation and partial purification of the $GABA_B$ receptor from the rat cerebellum using the novel antagonist [^{3}H]CGP 62349 (71) 279
Khawaja, X.Z., see Storm, S.M. (71) 50
Kocher, M., see Peißner, W. (71) 61
Kossut, M., see Gierdalski, M. (71) 111
Koziel, V., see Bossenmeyer-Pourié, C. (71) 225
Kristensen, A.S., see Mortensen, O.V. (71) 120
Krueger, A.M.R., Armstrong, J.N., Plumier, J.-C., Robertson, H.A. and Currie, R.W.
Cell specific expression of Hsp70 in neurons and glia of the rat hippocampus after hyperthermia and kainic acid-induced seizure activity (71) 265
Kume, H., see Shinozaki, K. (71) 364
Kuzume, H., see Shinozaki, K. (71) 364

Lahiri, D.K., Nall, C. and Ge, Y.-W.
Promoter activity of the beta-amyloid precursor protein gene is negatively modulated by an upstream regulatory element (71) 32
Lee, D.K., Nguyen, T., Porter, C.A., Cheng, R., George, S.R. and O'Dowd, B.F.
Two related G protein-coupled receptors: The distribution of GPR7 in rat brain and the absence of GPR8 in rodents (71) 96
Li, X., see Wang, X. (71) 304
Liang, B., see Amara, F.M. (71) 42
Lin, F.-H., Lin, S., Wang, Y. and Hosford, D.A.
Glutamate decarboxylase isoforms in thalamic nuclei in lethargic mouse model of absence seizures (71) 127
Lin, F.-h., Barun, S., Lutz, C.M., Wang, Y. and Hosford, D.A.
Decreased $^{45}Ca^{2+}$ uptake in P/Q-type calcium channels in homozygous lethargic (*Cacnb4^{lh}*) mice is associated with increased β3 and decreased β4 calcium channel subunit mRNA expression (71) 1
Lin, F.-h., Wang, Y. and Hosford, D.A.
Age-related relationship between mRNA expression of $GABA_B$ receptors and calcium channel β4 subunits in *Cacnb4^{lh}* mice (71) 131
Lin, S., see Lin, F.-H. (71) 127
Liu, X. and Zhu, X.-Z.
Increased expression and nuclear accumulation of basic fibroblast growth factor in primary cultured astrocytes following ischemic-like insults (71) 171
Liu, X. and Zhu, X.-Z.
Roles of p53, c-Myc, Bcl-2, Bax and caspases in glutamate-induced neuronal apoptosis and the possible neuroprotective mechanism of basic fibroblast growth factor (71) 210
Loewenstein, A., see Broide, R.S. (71) 137
Lummis, S.C.R., see Spier, A.D. (71) 369
Lutz, C.M., see Lin, F.-h. (71) 1

Maćkowiak, M., Chocyk, A., Fijał, K., Czyrak, A. and Węzdony, K.
c-Fos proteins, induced by the serotonin receptor agonist DOI, are not expressed in 5-HT2A positive cortical neurons (71) 358
Malherbe, P., Richards, J.G., Gaillard, H., Thompson, A., Diener, C., Schuler, A. and Huber, G.
cDNA cloning of a novel secreted isoform of the human receptor for advanced glycation end products and characterization of cells co-expressing cell-surface scavenger receptors and Swedish mutant amyloid precursor protein (71) 159
Martins, V.R., see Roesler, R. (71) 349
Maruyama, K., see Shinozaki, K. (71) 364
Matsumoto, K., see Yamanaka, H. (71) 217
Mayer, P., see Erdtmann-Vourliotis, M. (71) 313
McIntosh, T.K., see Napieralski, J.A. (71) 78
Meireles, S.M., see Gonçalves, P.P. (71) 178
Miyamoto, Y. and Sancar, A.
Circadian regulation of cryptochrome genes in the mouse (71) 238
Mortensen, O.V., Kristensen, A.S., Rudnick, G. and Wiborg, O.
Molecular cloning, expression and characterization of a bovine serotonin transporter (71) 120
Muñoz, A., see Cuadrado, A. (71) 332

Nall, C., see Lahiri, D.K. (71) 32
Napieralski, J.A., Raghupathi, R. and McIntosh, T.K.
The tumor-suppressor gene, p53, is induced in injured brain regions following experimental traumatic brain injury (71) 78
Nayak, S.V., see Spier, A.D. (71) 369
Neves, P., see Gonçalves, P.P. (71) 178
Nguyen, T., see Lee, D.K. (71) 96
Nichols, R.A., see Spier, A.D. (71) 369

Obata, K., see Shinozaki, K. (71) 364
O'Dowd, B.F., see Lee, D.K. (71) 96
Oliff, H.S., see Berchtold, N.C. (71) 11

Patrick, J.W., see Broide, R.S. (71) 137
Peeters, K., Gerets, H.H.J., Princen, K. and Vandesande, F.
Molecular cloning and expression of a chicken pituitary adenylate cyclase-activating polypeptide receptor (71) 244
Peißner, W., Kocher, M., Treuer, H. and Gillardon, F.
Ionizing radiation-induced apoptosis of proliferating stem cells in the dentate gyrus of the adult rat hippocampus (71) 61
Pévet, P., see Gauer, F. (71) 87
Plumier, J.-C., see Krueger, A.M.R. (71) 265
Poirel, V.-J., see Gauer, F. (71) 87
Porter, C.A., see Lee, D.K. (71) 96
Priestley, J.V., see Spier, A.D. (71) 369
Princen, K., see Peeters, K. (71) 244

Quevedo, J., see Roesler, R. (71) 349

Rage, F., see Aliaga, E. (71) 341
Raghupathi, R., see Napieralski, J.A. (71) 78
Rameshwar, P., see Yao, R. (71) 149
Richards, J.G., see Malherbe, P. (71) 159
Riechert, U., see Erdtmann-Vourliotis, M. (71) 313
Riederer, B.M. and Routtenberg, A.
Can GAP-43 interact with brain spectrin? (71) 345
Robertson, H.A., see Krueger, A.M.R. (71) 265
Roesler, R., Walz, R., Quevedo, J., De-Paris, F., Zanata, S.M., Graner, E., Izquierdo, I., Martins, V.R. and Brentani, R.R.
Normal inhibitory avoidance learning and anxiety, but increased locomotor activity in mice devoid of PrP^C (71) 349
Routtenberg, A., see Riederer, B.M. (71) 345
Rubio, N. and Torres, C.
Interferon-γ induces proliferation but not apoptosis in murine astrocytes through the differential expression of the *myc* proto-oncogene family (71) 104
Rudnick, G., see Mortensen, O.V. (71) 120

Sancar, A., see Miyamoto, Y. (71) 238
Sarau, H.M., see Wang, X. (71) 304
Schindler, C.W., see Itokawa, K. (71) 354
Schuler, A., see Malherbe, P. (71) 159
Shani, M., see Broide, R.S. (71) 137
Shinozaki, K., Kume, H., Kuzume, H., Obata, K. and Maruyama, K.
Norbin, a neurite-outgrowth-related protein, is a cytosolic protein localized in the somatodendritic region of neurons and distributed prominently in dendritic outgrowth in Purkinje cells (71) 364
Shiosaka, S., see Yamanaka, H. (71) 217
Siegel, A., see Yao, R. (71) 149
Simonneaux, V., see Gauer, F. (71) 87
Skangiel-Kramska, J., see Gierdalski, M. (71) 111
Smith, A., see Gierdalski, M. (71) 111
Sora, I., see Itokawa, K. (71) 354
Soreq, H., see Broide, R.S. (71) 137
Spier, A.D., Wotherspoon, G., Nayak, S.V., Nichols, R.A., Priestley, J.V. and Lummis, S.C.R.
Corrigendum to: Antibodies against the extracellular domain of the $5\text{-}HT_3$ receptor label both native and recombinant receptors. [Molecular Brain Research 67 (1999) 221–230] (71) 369
Stone, D.J., Walsh, J. and Benes, F.M.
Localization of cells preferentially expressing GAD_{67} with negligible GAD_{65} transcripts in the rat hippocampus. A double in situ hybridization study (71) 201
Stone, J., see Broide, R.S. (71) 137
Storm, S.M. and Khawaja, X.Z.
Probing for drug-induced multiplex signal transduction pathways using high resolution two-dimensional gel electrophoresis: application to β-adrenoceptor stimulation in the rat C6 glioma cell (71) 50
Szyf, M., see Deng, J. (71) 23

Takahashi, N., see Itokawa, K. (71) 354
Tapia-Arancibia, L., see Aliaga, E. (71) 341
Thompson, A., see Malherbe, P. (71) 159
Timberg, R., see Broide, R.S. (71) 137
Tomlinson, D.R., see Cai, F. (71) 256
Torres, C., see Rubio, N. (71) 104
Treuer, H., see Peißner, W. (71) 61

Uhl, G.R., see Itokawa, K. (71) 354

Vale, M.G.P., see Gonçalves, P.P. (71) 178
Vandesande, F., see Peeters, K. (71) 244

Walsh, J., see Stone, D.J. (71) 201
Walz, R., see Roesler, R. (71) 349
Wang, X., Li, X., Yaish-Ohad, S., Sarau, H.M., Barone, F.C. and Feuerstein, G.Z.
Molecular cloning and expression of the rat monocyte chemotactic protein-3 gene: a possible role in stroke (71) 304
Wang, Y., see Lin, F.-H. (71) 127
Wang, Y., see Lin, F.-h. (71) 131
Wang, Y., see Lin, F.-h. (71) 1
Wędzony, K., see Maćkowiak, M. (71) 358
Wheeler, D.L., see Duncan, M.J. (71) 325
Wiborg, O., see Mortensen, O.V. (71) 120
Wotherspoon, G., see Spier, A.D. (71) 369

Yaish-Ohad, S., see Wang, X. (71) 304
Yamanaka, H., He, X.P., Matsumoto, K., Shiosaka, S. and Yoshida, S.
Protease M/neurosin mRNA is expressed in mature oligodendrocytes (71) 217
Yao, R., Rameshwar, P., Donnelly, R.J. and Siegel, A.
Neurokinin-1 expression and co-localization with glutamate and GABA in the hypothalamus of the cat (71) 149
Yoshida, S., see Yamanaka, H. (71) 217

Zanata, S.M., see Roesler, R. (71) 349
Zhu, X.-Z., see Liu, X. (71) 171
Zhu, X.-Z., see Liu, X. (71) 210